


# Kubus – Efficient light from the box

## **Architectonic bollard luminaires for precise washlighting in the outdoor area**

During the day, the Kubus bollard luminaire is all but an inconspicuous architectural feature – at night, however, it excels with exquisite light. Used along traffic routes, Kubus provides optimum visual comfort and reliable orientation for passers-by. Two different light distributions complement each other beautifully: The wide-beam version neatly marks the way, the deep-beam version ensures optimum illumination of squares or terraces. In perfect understatement, Kubus combines highly efficient,

cutting-edge and maintenance-free optoelectronics with a very discreet appearance.





## Structure and characteristics

The features described here are typical of products in this range. Special versions may offer additional or varying features. A comprehensive description of the features of individual products can be found on our website.

### 1 Lens

- Softec lens as protective glass
- Wide distribution sculpture lens or narrow distribution prism lens

### 2 ERCO LED-module

- High-power LEDs: warm white (3000K) or neutral white (4000K)
- Collimating lens made of optical polymer

### 3 Luminaire housing

- Graphit m
- Corrosion-resistant cast aluminum, No-Rinse surface treatment
- Double powder-coated
- Optimized surface for reduced accumulation of dirt

### 4 Bollard

- Corrosion-resistant aluminum profile, No-Rinse surface treatment
- Graphit m, double powder-coated
- Luminaire and bollard must be installed on location

### 5 Control gear

- Switchable

### 6 Base plate

- For mounting on accessories
- Mounting accessories to be ordered separately

### Suitable for wet locations (IP65)

Dust-proof and water jet-proof

### Variants on request

- High-power LEDs: 3000K CRI 97 or 2700K, 3500K, 4000K with CRI 92
  - Housing: 10,000 further colors
- Please contact your ERCO consultant.



Design and application:  
[www.erco.com/kubus](http://www.erco.com/kubus)

# Kubus Bollard luminaires



## Different light distributions: wide or deep

Floor washlights with a wide beam are ideal particularly for lighting pathways along walls and façades. Floor washlights with a deep beam are effective in illuminating open spaces such as squares or terraces.

### Special characteristics



Different light distributions: wide or deep



ERCO high-power LEDs



Dark Sky technology



Different light colors



Excellent thermal management



EMC-optimized



Wet location




Accessory for mounting variants




Switchable

# Kubus Bollard luminaires – Luminaire arrangement

**Floor washlights**  
Wide beam, Deep beam




**Washlighting**  
Kubus bollard luminaires with wide beam light distribution directed forward provide subtle light for a glare-free and uniform illumination of pathways.




The spacing between two luminaires may be up to 6ft. The luminaires may be spaced apart even further for visual guidance.

Arrangement:  $d \leq 6\text{ft}$



Kubus bollard luminaires with deep beam light distribution directed forward provide subtle light for a glare-free and uniform illumination of open areas.




The spacing between two luminaires may be up to 6ft. The luminaires may be spaced apart even further for visual guidance.

Arrangement:  $d \leq 6\text{ft}$



# Kubus Bollard luminaires

Construction size 31 1/2"



LED module  
Maximum value  
at 4000K CRI 82

2.9W/423lm

Light color

	2700K CRI 92 *		3500K CRI 92 *
	3000K CRI 92		4000K CRI 82
	3000K CRI 97 *		4000K CRI 92 *

Light distribution

	Floor washlights
	Wide beam
	Deep beam

Control

	Switchable
--	------------

Color (housing)

	Graphit m
	10,000 colors *

Accessories

	Ground socket		Mounting plate
	Concrete anchor		



\* available on request

Article numbers and planning data:  
[www.erco.com/014704-us](http://www.erco.com/014704-us)

Design and application:  
[www.erco.com/kubus](http://www.erco.com/kubus)

